

Loxicom[®] Product Portfolio



Discover Loxicom®

THE AFFORDABLE CHOICE FOR EFFECTIVE PAIN CONTROL

Loxicom* (meloxicam) is a non-steroidal anti-inflammatory drug (NSAID) with formulations to control pain and inflammation from osteoarthritis in dogs, and to control pain and inflammation associated with some surgeries in cats. Loxicom is bioequivalent to the pioneer product, Metacam* (meloxicam), and it uses the same active ingredient for effective pain relief. Norbrook offers two different delivery methods for Loxicom, giving you flexibility in controlling pain and inflammation in pets.

Enhance clinic profits while lowering client costs.

Not only is Loxicom® as effective as the pioneer brand, but it's also significantly less expensive, allowing you to provide bioequivalent treatment while improving your pharmacy profit margins.

- Offers 27% or more savings vs. the pioneer brand
- Reduces your dispensing costs
- Allows you to eliminate less profitable inventory
- Helps build client loyalty and capture more sales
- Relieves financial burdens from clients that are treating chronic OA in their dogs

COST OF DOSING A 10-LB DOG FOR 30 DAYS

	Initial Dose (Injection)	Day 2-30 (Suspension)	Total DVM Cost to Treat	
LOXICOM° COST	\$1.27 20 mL vial	+ \$10.95 = 1.5 mg/mL x 10 mL	\$12.22	
METACAM® COST	\$1.86 - 10 mL vial	\$36.54 = 0.5 mg/mL x 15 mL	\$38.40	
	68% SAVINGS VS. METACAM**			

* Price comparisons based on 2022 DVM List Price.

Convenient Loxicom® Injection 20 mL vial size plus Loxicom Oral Suspension 1.5 mg/mL formulation offers significant savings versus the pioneer brand.

COST OF DOSING A 50-LB DOG FOR 30 DAYS

	Initial Dose (Injection)	Day 2-30 (Suspension)	Total DVM Cost to Treat
LOXICOM® COST	\$6.33 - 20 mL vial	+ \$23.03 =	\$29.36
METACAM® COST	\$9.29 - 10 mL vial	\$34.62 = 1.5 mg/mL x 100 mL	\$43.91
		1	

33% SAVINGS VS. METACAM®

SAVE MORE WITH LOXICOM* INJECTION VS. METACAM* INJECTION

Metacam [®] Injection (10 mL)	Loxicom [®] Injection (10 mL)	Loxicom [®] Injection (20 mL)
\$103.23 Vet Price	\$74.04 Vet Price	\$140.65 Vet <u>Price</u>
	Vet saves 28% vs. Metacam [®] Injection	Save an additional 4% per mL

^{*} Price comparisons based on 2022 DVM List Price.





LOXICOM 1.5 mg/mL Oral Suspension (meloxicam)

An FDA-approved oral suspension NSAID for dogs that offers flexible dosing and a significant cost advantage

- May be mixed with food or dosed directly into the mouth
- Nearly 100% bioavailability when administered orally with food, meaning all of the active ingredient will be able to have an effect
- No tablet splitting for accurate dosing
- Odorless for easier administration
- Calibrated syringes for simple, precise dosing based on a dog's weight
- Available in convenient 10 mL, 32 mL, 100 mL and 2 x 100 mL bottles with 1.5 mg/mL strength
- Convenient 2 x 100 mL sizing ideal for treating large breed dogs for OA
- Packaged in clear bottles to easily view remaining contents
- Cost savings ≥ 27%



An FDA-approved injectable NSAID that is effective both for pain and inflammation associated with osteoarthritis in dogs, and with some surgeries in cats.

- May be administered in dogs initially as a single IV or SQ dose followed after 24 hours by Loxicom Oral Suspension
- Approved for use in cats to control postoperative pain associated with orthopedic surgery, ovariohysterectomy and castration when administered prior to surgery. Administered as a single, one-time SQ dose.
- Used extensively by DVMs throughout the U.S.
- Available in both 10 mL and economical 20 mL bottles for more savings
- Cost savings ≥ 28%



Get to know Norbrook®

PROVIDING QUALITY, COST-EFFECTIVE ANIMAL HEALTH PRODUCTS TO THE VETERINARY COMMUNITY FOR OVER 50 YEARS. Norbrook was founded in Newry, Northern Ireland, in 1969 and is now a leading global provider of veterinary pharmaceuticals. With world-class manufacturing facilities on four continents and sales and marketing offices in 30 countries, Norbrook exports to over 120 countries worldwide.

DID YOU KNOW?

- Norbrook manufactures several of its own active pharmaceutical ingredients (APIs), ensuring control over costs and increased confidence in quality.
- Norbrook is one of the largest manufacturers of veterinary sterile injectables in the world.
- Norbrook manufactures products for other major animal health companies.
- Norbrook is one of the largest manufacturers of companion animal and livestock private-label brands in the U.S.

FOR MORE INFORMATION ABOUT NORBROOK PRODUCTS, VISIT NORBROOK.COM OR CALL 866-591-5777.

© 2022 Norbrook Laboratories Limited. All rights reserved. Norbrook logos and Loxicom are registered trademarks of Norbrook Laboratories Limited. Metacam is a registered trademark of Boehringer Ingelheim Vetmedica, Inc. 0422-LOX-M02A

LOXICOM® ORAL SUSPENSION

Observe label directions. Do not use Loxicom Oral Suspension in cats. Acute renal failure and death have been associated with the use of meloxicam in cats. As with any medication, side effects may occur. These are usually mild, but may be serious. The most common side effects reported in field studies were vomiting, soft stool/diarrhea and decreased appetite. If side effects occur, discontinue treatment immediately and consult a veterinarian. Dogs should be evaluated for pre-existing medical conditions prior to treatment and monitored during therapy. See product labeling for full product information.

LOXICOM* SOLUTION FOR INJECTION

Warning: Repeated use of meloxicam in cats has been associated with acute renal failure and death. Do not administer additional injectable or oral meloxicam to cats. See the Contraindications, Warnings and Precautions section of the package insert for detailed information.

Loxicom (meloxicam) 5mg/mL Injection is a non-steroidal anti-inflammatory prescription medication available only through a veterinarian. As with other NSAID-class medications, signs of meloxicam intolerance may include appetite loss, vomiting and diarrhea, which could indicate side effects involving the digestive tract, liver or kidneys. Some of these side effects may occur without warning and, in rare situations may be serious, resulting in hospitalization or even death. Observe the dog or cat for signs of potential drug toxicity. If these signs occur, discontinue meloxicam therapy and contact a veterinarian immediately. Loxicom should be administered to cats only via the subcutaneous (SQ) route. Do not use intravenously (IV) in cats. Concomitant use with other anti-inflammatory drugs, such as NSAIDs or corticosteroids, should be avoided. Do not administer a second dose of meloxicam to cats. Do not follow the single, one-time dose of meloxicam with any other NSAID or with meloxicam oral suspension in cats. Do not use meloxicam in cats with pre-existing renal dysfunction. Refer to the product insert for additional safety information (including warnings, precautions and contraindications) and full directions for use.